



MATERIAL SAFETY DATA SHEET

According to 91/155/EEC, 93/112/EC, 2001/58/EC

Page 1 of 4
Date of issue : May 2023
Date of revision : April 2028

FOR EMERGENCY AND GENERAL INFORMATION

TOLL FREE HELPLINE : 1800 209 2095

Diversey India Hygiene Pvt. Ltd., 501, 5th Floor, Ackruti Centre Point,
MIDC Central Road, Andheri (East), Mumbai - 400093. INDIA
Tel.: +91 22 48814300 Fax : +91 22 48814331

SECTION 1 - PRODUCT IDENTIFICATION

Product Name : TASKI®R1 Super

Application of the product : Professional cleaning/maintenance product for building care.

SECTION 2 - HAZARDS IDENTIFICATION

Classification :



Xi Irritant

Hazards for man and the environment :

R 36 - Irritating to eyes

Classification system : The classification complies with current EC regulations on dangerous substances and preparations.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization

Description : Mixture in water of non-dangerous ingredients and substances listed below.

Hazardous ingredients :

CAS: 141-43-5	2-aminoethanol	C; R 20/21/22-34	< 5%
EINECS: 205-483-3			
CAS: 68424-85-1	alkyldimethylbenzeneammoniumchloride	C,Xn,N; R 22 -34-50	< 5%
EINECS: 270-325-2			
CAS: 67-63-0	propan-2-ol	Xi, F; R 11-36-67	< 5%

Ingredients according to EC Detergents Regulation 648/2004 :

nonionic surfactants	5 - 15%
disinfectants, perfumes	

Additional information : The full text of the relevant risk phrases is given in section 16.

SECTION 4 - FIRST AID MEASURES

General information : No special measures required.

Inhalation : No special measures required.

Skin contact : No special measures required.

Eye contact : Wash immediately with copious amounts of water. Obtain medical attention if symptoms develop.

Ingestion : Rinse out mouth and then drink one or two glasses of water (or milk). Obtain medical attention.

SECTION 5 - FIRE FIGHTING MEASURES

Suitable extinguishing media : CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

Protective equipment : No special measures required.



MATERIAL SAFETY DATA SHEET

According to 91/155/EEC, 93/112/EC, 2001/58/EC

Product Name : TASKI®R1 Super

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Protection of personnel : Not required.

Environmental precautions : Dilute with plenty of water.

Method of disposal : Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Dispose of the collected material according to the regulations.

SECTION 7 - HANDLING AND STORAGE

Handling (see also sections 8 and 15)

Information for safe handling : Use common rules for working with chemicals.

Information about protection against explosions and fires : No special measures required.

Storage :

Requirements for storage rooms and containers : According to local legislation.

Storage in one common storage facility : According to local legislation.

Further information about storage conditions : None.

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

Additional information about design of technical systems : No further data; see section 7.

Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Personal Protection equipment :

General protective and hygienic measures :

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment : Personal protection is not normally required.

Protection of hands : Rinse and dry hands after use. For prolonged contact protection of the skin may be necessary.

Eye protection: Safety glasses are not normally required. However, their use is recommended in those cases where handling the undiluted product involves a risk of splashing.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

General information :

Form:	Liquid
Colour:	Clear, Orange
Odour:	Slightly perfumed

Change in condition :

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Flash point:	Not applicable
Spontaneous combustion:	Product is not self igniting
Danger of explosion:	Product is not explosive.
Density at 25°C :	0.98 - 1.03 g/cm ³
Solubility in / Miscibility with Water:	Fully miscible
pH-value (1% sol.) :	10 - 11



MATERIAL SAFETY DATA SHEET

According to 91/155/EEC, 93/112/EC, 2001/58/EC

Page 3 of 4

Product Name : TASKI®R1 Super

SECTION 10 - STABILITY AND REACTIVITY

Thermal decomposition / conditions to be avoided : No decomposition if used according to specifications.

Dangerous reactions : Reacts with acids.

Hazardous decomposition products : No dangerous decomposition products known.

SECTION 11 - TOXICOLOGICAL INFORMATION

Acute toxicity:

LD50 (oral) : Based on the toxicological classification the LD50 (oral) is estimated to be >2000 mg/kg.

Primary irritant effect:

skin contact : Unlikely to be irritant in normal use.

eye contact : Causes irritation.

inhalation : Causes irritation.

ingestion : Causes irritation.

Additional toxicological information:

EC classification : Irritant

SECTION 12 - ECOLOGICAL INFORMATION

General notes : When used for its intended purpose this product should not cause adverse effects in the environment.

SECTION 13 - DISPOSAL CONSIDERATIONS

Product :

Recommendation : Dispose of observing official regulations.

European waste catalogue :

20 01 29 detergents containing dangerous substance.

Uncleaned packagings :

Recommendation : Dispose of observing official regulations.

Recommended cleaning agent : Water, if necessary with cleaning agent.

SECTION 14 - TRANSPORT INFORMATION

Land transport ADR/RID (cross-border)

ADR/RID Class: -

Maritime transport IMDG :

IMDG Class: -

Air transport ICAO-TI and IATA-DGR :

ICAO / IATA Class: -

Transport / Additional Information : Non-dangerous according to above regulations.

SECTION 15 - REGULATORY INFORMATION

Classification according to EC guidelines : The product has been classified and labeled in accordance with current EC Directives.



MATERIAL SAFETY DATA SHEET

According to 91/155/EEC, 93/112/EC, 2001/58/EC

Product Name : TASKI®R1 Super

Symbol and hazard designation of product:



Xi Irritant

Risk phrases :

36 Irritating to eyes

Safety phrases:

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Further indications on the label : Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

SECTION 16 - OTHER INFORMATION

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract.

Text of risk phrases associated with ingredients listed in section 3 :

22 Harmful if swallowed

34 Causes burns

41 Risk of serious damage to eyes

50 Very toxic to aquatic organisms

Department issuing material safety data sheet:

Contact :

Diversey India Hygiene Pvt. Ltd.,
501, 5th Floor, Ackruti Centre Point, MIDC Central Road,
Andheri (East), Mumbai - 400093. INDIA
Tel.: +91 22 48814300. Fax: +91 22 48814331

** In case of local regulation change or formulation change this MSDS may undergo revision before the stated revision date.*